

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 June 2008

(For the Period 15 May 2008 to 31 May 2008)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	QPL-7905-52 NOT 3	Cylinders, Steel, Compressed Gas, Non-Shatterable Seamless, 1800 PSI and 2100 PSI (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1660		AS	10-MAY-2008
M	A-A-59103B	Truck, Tank A/S32A-24, Potable Water [CUST: 99]	A	2320	/	84	30-MAY-2008
M	A-A-52520B	Hardwood; Floorboards and Platforms: for Military Vehicles (Metric) [CUST: AT MC 99] [REVIEW: CC MD MI]	A	2510	/	AT	28-MAY-2008
M	QPL-AS8914-2 NOT 1	Bearing, Roller, Self-Aligning, Airframe, Antifriction (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	3110		AS	16-MAY-2008
M	MIL-DTL-24403/1E NOT 1	Electrodes - Welding, Flux Cored, Ordinary Strength and Low Alloy Steel [CUST: SH]	A	3439		SH	30-MAY-2008
M	QPL-15465-26 NOT 1	Ejector Assemblies, Air (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4320		SH	21-MAY-2008
M	QPL-32217 NOT 2	Scale Prevention in Sewage Collection Holding and Transfer (CHT) and Vacuum CHT (VCHT) Piping Systems for Use on Naval Surface Ships (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4630		SH	21-MAY-2008
M	MIL-DTL-13531H	Hose and Hose Assembly, Rubber (Hydraulic, Pneumatic, Flexible) [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV MC MI SA]	A	4720		CC	22-MAY-2008
M	QPL-83797-16 NOT 1	Hose, Rubber, Lightweight, Medium Pressure, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4720		CC	20-MAY-2008
M	MS9769B	Reducer, Tube - Straight, Tube to Boss [CUST: AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	27-MAY-2008
M	QPL-83296-14 NOT 1	Fittings, Corrosion Resistant Steel, High Temperature, High Pressure (3000 PSI), Hydraulic and Pneumatic (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4730		CC	28-MAY-2008
M	QPL-83798-9 NOT 1	Fittings, Rubber Hose, Lightweight, Medium Pressure, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4730		CC	20-MAY-2008
N	ASME-B29.100	Precision Power Transmission, Double-Pitch Power Transmission, and Double-Pitch Conveyor Roller Chains, Attachments, and Sprockets [CUST: CR4 YD 99 CC]	A	4730		CC	14-MAY-2008
N	NAS1924	Clamp Hose [CUST: CR4 YD 99 CC]	A	4730		CC	14-MAY-2008
N	SAE-J1453/1	O-Ring Face Seal Connectors: Part 1 - Tube Connection Details and Common Requirements for Performance and Tests [CUST: CR4 YD 99 CC]	A	4730		CC	14-MAY-2008
N	SAE-J1453/2	O-Ring Face Seal Connectors: Part 2 - Requirements, Dimensions, and Tests for Steel Unions, Bulkheads, Swivels, Braze Sleeves, Caps, and Connectors with ISO 6149-2 Metric Stud Ends [CUST: CR4 YD 99 CC]	A	4730		CC	14-MAY-2008
N	SAE-J1453/3	O-Ring Face Seal Connectors: Part 3-Requirements, Dimensions, and Tests for Steel Unions, Bulkheads, Swivels, Braze Sleeves, Connectors, Caps, and Connectors with SAE J1926-2 Inch Stud Ends [CUST: CR4 YD 99 CC]	A	4730		CC	14-MAY-2008
M	MIL-PRF-32278B	Gauge, Tactical Automated Tank (TATG) Fuels Operational Readiness Capability Equipment (Force) [CUST: 99]	A	4930		84	04-JUN-2008
M	MIL-N-87963 NOT 2	Nozzle: Fuel, Aircraft, Overwing: Type MD-3 [CUST: AT]	A	4930		AT	14-MAY-2008
M	QPL-81380-5 NOT 1	Monitor Contamination, Fuel Dispensing System (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4930		AS	21-MAY-2008
M	MIL-PRF-39005F SUP 1	Resistors, Fixed, Wire-Wound (Accurate), Nonestablished Reliability, and Established Reliability, General Specification for [CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CR	08-MAY-2008
M	QPL-83421-58 NOT 1	Capacitors, Fixed, Metallized, Plastic Film Dielectric, (DC, AC, or DC and AC), Hermetically Sealed in Metal Cases or Ceramic Cases, Established Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5910		CC	28-MAY-2008
M	MIL-DTL-24646B SUP 1	Fuse Boxes, General Specification for [CUST: SH CC]	A	5920		CC	27-MAY-2008
M	QPL-39019-26 NOT 1	Circuit Breakers, Magnetic, Low Power, Sealed, Trip Free, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5925		CR	21-MAY-2008
M	MIL-PRF-22885/113(1)	Switches, Pushbutton, Illuminated, 1.17 by .96, Light Emitting Diode (LED), Sunlight Readable, Voltage Dimmable, Night Vision Goggle Compatible, EMC Compliant, Common Termination System (CTS), SPDT, DPDT, 4PDT, Logic Level to 7.5 Amperes, Dripproof, Watertight, Splashproof, High Impact Shock Resistant [CUST: CR EC 11 CC]	A	5930		CC	15-MAY-2008
M	QPL-24187-18 NOT 1	Switch Assemblies, Linear Movement Manual and Remote Operation, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information) [CUST: SH]	A	5930		SH	15-MAY-2008
M	MIL-DTL-38999L	Connectors, Electrical, Circular, Miniature, High Density, Quick Disconnect (Bayonet, Threaded, and Breech Coupling), Environment Resistant, Removable Crimp and Hermetic Solder Contacts, General Specification for [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	30-MAY-2008
M	MIL-DTL-38999/28G	Connectors, Electrical, Circular, Nut, Hexagon, Connector Mounting, Series III and IV, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI SH]	A	5935		CC	30-MAY-2008
M	MIL-DTL-38999/32D	Connector, Electrical Circular, Cover, Protective, Plug, Series III, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 EC MC MI OS]	A	5935		CC	30-MAY-2008
M	MIL-DTL-38999/33D	Connector, Electrical Circular, Cover, Protective, Receptacle, Series III, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 EC MC MI OS]	A	5935		CC	30-MAY-2008
M	MIL-DTL-38999/52A	Connectors, Electrical, Circular, Cover, Protective, Receptacle, MIL-DTL-38999 Series IV [CUST: CR AS 85 CC] [REVIEW: 19 99 EC MC MI OS]	A	5935		CC	30-MAY-2008
M	QPL-83413-15 NOT 1	Connectors and Assemblies, Electrical, Aircraft Grounding, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935		CC	28-MAY-2008
M	QPL-83517-17 NOT 1	Connector, Coaxial, Radio Frequency for Coaxial, Strip or Microstrip Transmission Line, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935		CC	29-MAY-2008
M	QPL-83734-36 NOT 1	Sockets, Plug-In Electronic Components, Dual-in-Line (DIPS) and Single-In-Line Packages (SIPS), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935		CC	20-MAY-2008
M	QPL-83516-12 NOT 1	Relay, Reed, Dry, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5945		CC	29-MAY-2008
M	QPL-83725-18 NOT 1	Relays, Vacuum, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5945		CC	20-MAY-2008
M	QPL-83446-37 NOT 1	Coils, Radio Frequency, Chip, Fixed or Variable, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5950		CC	28-MAY-2008
M	MIL-PRF-19500/461F	Semiconductor Device, Transistor, PNP, Silicon, High-Power Type 2N6211, 2N6212, 2N6213, 2N6213A, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AV]	A	5961		CC	30-MAY-2008

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-PRF-19500/587C	Semiconductor Device, Diode, Silicon, Rectifier, Types 1N6661, 1N6662, 1N6663, 1N6661US, 1N6662US, and 1N6663US, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	28-MAY-2008
N	MIL-PRF-19500/743	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Types 2N7503U8 and 2N7503U8C, JANTXVR, F and G and JANSR, F and G [CUST: CR EC 11 CC NA]	A	5961		CC	15-MAY-2008
N	MIL-PRF-19500/744	Semiconductor Device, Field Effect Transistor, N-Channel, Radiation Hardened (Total Dose and Single Event Effects), Logic-Level Silicon, Types 2N7616UB, 2N7616UBC, JANTXVR, JANTXVF, JANSR, and JANSF [CUST: CR EC 11 CC NA]	A	5961		CC	21-MAY-2008
N	MIL-PRF-19500/746	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Types 2N7587U3, 2N7587U3C, 2N7589U3, 2N7589U3C, 2N7591U3, 2N7591U3C, 2N7593U3, and 2N7593U3C, JANTXVR, JANTXVF, JANSR, and JANSF [CUST: CR EC 11 CC NA]	A	5961		CC	15-MAY-2008
M	QPL-83511-16 NOT 1	Headset-Microphone and Headset-Electrical (Medium Noise Attenuation, Hearing Protective), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5965		CC	28-MAY-2008
M	QPL-87819-10 NOT 1	Headset-Microphone (Hearing Protective Type, High and Moderate Ambient Noise Levels), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5965		CC	21-MAY-2008
M	QPL-3190-28 NOT 1	Insulation Sleeve, ELectrical, Flexible, Coated, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5970		SH	20-MAY-2008
M	MIL-DTL-25708F	Antennas, Blade, L-Band, General Specification for [CUST: CR AS 11 CC] [REVIEW: 99 AV]	A	5985		CC	28-MAY-2008
M	MIL-DTL-25708/1G	Antenna, Blade, AT-741B/B (HN Connector) [CUST: CR AS 11 CC] [REVIEW: 70 71 84 99 AV]	A	5985		CC	28-MAY-2008
M	MIL-DTL-25708/2C	Antenna, Blade, AS-2685/A [CUST: AV 11 CC] [REVIEW: 99]	A	5985		CC	28-MAY-2008
M	MIL-DTL-25708/3D	Antenna, Blade, AS-2686/A (HN Connector) [CUST: CR AS 11 CC] [REVIEW: AV]	A	5985		CC	28-MAY-2008
M	MIL-DTL-25708/5C	Antenna, Blade, L-Band (4 Hole Mount, N-Connector) [CUST: CR AS 11 CC] [REVIEW: 99 AV]	A	5985		CC	28-MAY-2008
N	A-A-59812	Holder, Electrical Card, Metal Card Guide, Multiple Piece, General Requirements for [CUST: CR EC 11 CC] [REVIEW: 99]	A	5998	/	CC	20-MAY-2008
M	QPL-83528-41 NOT 1	Gasketing Material, Conductive, Shielding Gasket, Electronic, Elastomer, EMI/RFI, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5999		CC	29-MAY-2008
M	QPL-83531-7 NOT 1	Delay Lines, Passive, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5999		CC	29-MAY-2008
M	QPL-83532-8 NOT 1	Delay Lines, Active, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5999		CC	20-MAY-2008
M	QPL-83401-87 NOT 1	Resistor Networks, Fixed, Film, and Capacitor-Resistor Networks, Ceramic Capacitor and Fixed Resistors, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	59GP		CC	15-MAY-2008
M	QPL-85045-18 NOT 1	Cables, Fiber Optics (Metric), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6015		SH	21-MAY-2008
M	MIL-A-63467 NOT 3	Acetylene Black (for Use in Ammunition) [CUST: AR]	A	6810		AR	09-MAY-2008
M	MIL-PRF-24667C	Coating System, Non-Skid, for Roll, Spray, or Self-Adhering Application [CUST: SH] [REVIEW: 99]	A	8010		SH	22-MAY-2008
M	QPL-3316-75 NOT 1	Adhesives, Fire-Resistant, Thermal Insulation (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8040		SH	20-MAY-2008
M	MIL-DTL-3943/53K	Decoration, Achievement Medal, Navy and Marine Corps [CUST: IH NU] [REVIEW: CT MC]	A	8455		IH	15-MAY-2008
M	MIL-DTL-11589/29F	Ribbon, Coast Guard Expert Pistol Shot [CUST: IH NU] [REVIEW: CG CT]	A	8455		IH	15-MAY-2008
M	MIL-DTL-11589/30F	Ribbon, Coast Guard Expert Rifleman [CUST: IH NU] [REVIEW: CG CT]	A	8455		IH	15-MAY-2008
M	MIL-DTL-11589/31H	Ribbon, Good Conduct Medal, Coast Guard [CUST: IH NU] [REVIEW: CG CT]	A	8455		IH	15-MAY-2008
M	MIL-PRF-63460E(1)	Lubricant, Cleaner and Preservative for Weapons and Weapons Systems [CUST: AR AS 11 GS] [REVIEW: 06 68 AT MD MI OS]	A	9150		AR	15-MAY-2008
M	QPL-5606-31(2) NOT 1	Hydraulic Fluid, Petroleum Base, Aircraft; Missile and Ordnance (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	9150		68	29-MAY-2008
M	QPL-24508-16 NOT 1	Grease, High Performance, Multi-Purpose (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	9150		SH	28-MAY-2008
M	MIL-DTL-62474F(1)	Laminate: Aramid-Fabric-Reinforced, Plastic [CUST: AT 11] [REVIEW: IS MR]	A	9330		AT	21-MAY-2008
M	MIL-STD-147E	Palletized Unit Loads [CUST: SM SA 11 DH] [REVIEW: 13 99 AM AR AS AT AV CC CG CM CR3 EA EC GL3 GS3 IS MC MI MT NP PT SH TM2]	A	PACK		SM	16-MAY-2008
M	MIL-STD-2073-1E	Military Packaging [CUST: SM AS 11 DH] [REVIEW: 13 19 99 AR AT AV CC CG CR3 CT DM EA GL3 GS IS LS MC MI MT OS SA SH SS YD]	A	PACK		AS	23-MAY-2008

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-5516D	Packing, Preformed, Petroleum Hydraulic Fluid Resistant, 160 Degrees F (71 Degrees C) [CUST: MI AS 11 IS] [REVIEW: 71 AT AV CG CR4 EA MC SA SH]	A	5330		IS	15-MAY-2008
M	MIL-DTL-27434/23B	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series Twin to Series UHF TYPE UG-970/U [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CR4 MC MI SH]	A	5935		CC	22-MAY-2008
M	MIL-DTL-27434/5A	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series C to Series UHF Type UG-637/U [CUST: CR EC 85 CC] [REVIEW: 99 SH]	A	5935		CC	22-MAY-2008
M	MIL-DTL-27434/6A	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series HN to Series LC Type UG-217A/U [CUST: CR EC 85 CC] [REVIEW: 99 SH]	A	5935		CC	22-MAY-2008
M	MIL-DTL-27434/8A	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series HN to Series LC Type UG-259 A/U [CUST: CR EC 85 CC] [REVIEW: 99 SH]	A	5935		CC	22-MAY-2008
M	MIL-DTL-27434/15A	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series BNC, Pin Contact, to Series HN, Socket Contact, Right Angle, Type UG-559B/U [CUST: CR EC 85 CC] [REVIEW: 99 SH]	A	5935		CC	22-MAY-2008
M	MIL-DTL-27434/16A	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series LC to Series LT Type UG-586 B/U [CUST: CR EC 85 CC] [REVIEW: 99 SH]	A	5935		CC	22-MAY-2008
M	MIL-DTL-27434/18A	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series BN to Series N Type UG-605/U [CUST: CR EC 85 CC] [REVIEW: 99 SH]	A	5935		CC	22-MAY-2008
M	MIL-DTL-27434/20A	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series BNC to Series SM Type UG-690/U [CUST: CR EC 85 CC] [REVIEW: 99 SH]	A	5935		CC	22-MAY-2008
M	MIL-DTL-27434/21A	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series BNC to Series SM Type UG-691/U [CUST: CR EC 85 CC] [REVIEW: 99 SH]	A	5935		CC	22-MAY-2008
M	MIL-DTL-27434/22B	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series QDS to Series N Type UG-966A/U [CUST: CR EC 85 CC]	A	5935		CC	22-MAY-2008
M	MIL-DTL-27434/24A	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series Twin to Series C Type UG-971/U [CUST: CR EC 85 CC]	A	5935		CC	22-MAY-2008
M	MIL-DTL-27434/28A	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series BNC to Series QDS Type UG-1136/U [CUST: CR EC 85 CC]	A	5935		CC	22-MAY-2008
M	MIL-DTL-27434/36B	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series N to Series LN Type UG-108A/U [CUST: CR EC 85 CC]	A	5935		CC	22-MAY-2008
M	MIL-DTL-27434/38B	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series N to Series LN Type UG-213A/U [CUST: CR EC 85 CC]	A	5935		CC	22-MAY-2008
M	MIL-DTL-3922/54D	Flanges, Waveguide (Cover) (Square, 4 Hole) [CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI OS SH]	A	5985		CC	23-MAY-2008
M	MIL-DTL-3922/55C	Flanges, Waveguide (Cover) (Round, 6 Hole) [CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI OS SH]	A	5985		CC	27-MAY-2008
M	MIL-DTL-3922/57C	Flanges, Waveguide (Cover) (Round, 8 Hole) (2 Holes Centered Horizontally, 2 Holes Centers Vertically) [CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI OS SH]	A	5985		CC	27-MAY-2008
M	MIL-DTL-3922/60C	Flanges, Waveguide (Choke) (Round, 6 Hole) [CUST: CR EC 11 CC] [REVIEW: 99 AS AV MC MI OS SH]	A	5985		CC	27-MAY-2008
M	MIL-DTL-3922/75C NOT 1	Flanges, Waveguide, Reduced Height, [CUST: CR EC 11 CC] [REVIEW: 99 AS MC MI OS SH]	A	5985		CC	27-MAY-2008
M	MIL-HDBK-1814 NOT 1	Integrated Diagnostics [CUST: 11]	A	SESS		11	02-JUN-2008

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	ASME-B29.1M	Chains, Attachments, and Sprockets, Precision Power Transmission Roller (No S/S Document) [CUST: CR4 YD 99 CC]	A	3020		CC	14-MAY-2008
M	MIL-D-17650B NOT 1	Disk, Valve, Rubber; Insert Type (S/S by MIL-R-6855) [CUST: SH] [REVIEW: CC]	A	4820		SH	22-MAY-2008
M	MS18166B NOT 3	Insert (Insulator), Rectangular Connector, Polarized Center Screwlock, Electrical, 158 (Size 16 Crimp Removable) Socket Contacts (S/S by MIL-DTL-28748/10) [CUST: CR EC 11 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS]	A	5935		CC	25-APR-2008
M	ASTM-D912	Paints, Antifouling, Cuprous Oxide for Use in (No S/S Document) [CUST: CR4 SH 99]	A	8010		SH	15-MAY-2008
M	MIL-HDBK-774A NOT 1	Palletized Unit Loads (S/S by MIL-STD-147) [CUST: SM SA 99 DH]	A	PACK		SM	16-MAY-2008